

REDMOND MEMORIAL CEMETERY

4.500 Reservations.

1. The lots enumerated herein shall be set aside for veterans and their wives as well as any unmarried children of the veterans under the age of 21 at the time of their death.

Section B Lots	Section F Lots	Section M Lots
161 thru 180	105 thru 120	101 thru 116
261 thru 280	205 thru 220	201 thru 216
361 thru 380	301 thru 320	301 thru 316
461 thru 480	401 thru 420	401 thru 416
561 thru 580	501 thru 520	501 thru 516
661 thru 680	601 thru 620	601 thru 616
761 thru 780	701 thru 720	701 thru 716
861 thru 880	801 thru 820	801 thru 816
961 thru 980	901 thru 920	901 thru 916
1061 thru 1080		1001 thru 1016

2. Lots designated herein shall be set aside for infants. Each lot has been divided into four infant lots. A separate map shall be kept at City Hall for these lots.

Section D Lots

131 thru 139
231 thru 239
331 thru 339
431 thru 439
531 thru 539
631 thru 639
731 thru 739
831 thru 839

3. All lots in Section P are restricted to the burial of contained ashes. Each lot is limited to three urns. A separate map shall be kept at City Hall for these lots.

Section P Lots

101 thru 110
201 thru 210
301 thru 330
401 thru 430
501 thru 550
601 thru 650
701 thru 760
801 thru 860
901 thru 960
1001 thru 1060

[Section 4.500 added by Ord. #88-06 passed March 8, 1988]

[Section 4.500 amended by Ord. #1999-32 passed November 23, 1999]

[Section 4.500 amended by Ord. #1999-33 passed December 14, 1999]

[Section 4.500 amended by Ord. #2002-17 passed November 12, 2002]

4.510 Cemetery Markers.

1. In Sections A and B, each grave shall be marked with a marker of polished granite, or other approved material, of a size of not less than 10 inches by 20 inches, and not larger than 14 inches by 26 inches. The marker shall be set at sod level and the lettering shall be sunken (no monuments shall be erected).
2. In Section D, row 1, space 35 through 55 and Section L, row 1, space 101 through 140, row 2, space 201 through 250, row 3, space 340 through 360, row 4, space 450 through 470, row 5, space 560 through 580 and row 6, space 670 through 680 Monuments are optional.
3.
 - A. In Section C, D, E and F, L, M, N, O and R, single headstones shall be of polished granite, or other approved material, of a size not larger than 24 inches long by 12 inches in width placed flat and set in concrete at sod level with one edge set to a surveyor's line. All vases shall be centered in the ends of said concrete and the length of the concrete shall extend 8 inches beyond each end of the granite marker. If no vases are used a 6 inch concrete extension on each end of the marker will suffice.
 - B. In section D, single headstones shall be of a size not larger than 21 inches long by 11 inches in width, placed flat and set in concrete at sod level with one edge set to a surveyor's line. If a vase is desired it shall be centered below the marker and the concrete shall extend 8 inches top and bottom. If a vase is not used a 6 inch concrete extension, top and bottom will suffice.
 - C. Vases are allowed anywhere within the confines of all single bronze headstones provided they are set in concrete according to the above specifications of 6 inch concrete extension on each end.
4.
 - A. In Section D, monuments shall be of polished granite, or other approved material, of a size not larger than 16 inches long by 8 inches in width, with a height not to exceed 14 inches. Monuments shall be set in concrete at sod level with one edge set to a surveyor's line. If a vase is desired it shall be centered below the marker and the concrete shall extend 8 inches, top and bottom. If a vase is not used a 6 inch concrete extension top and bottom of the marker will suffice.
 - B. In Section L, monuments shall be of polished granite or other approved material, of a width not larger than 24 inches long by 14 inches in width, with a height not to exceed 28 inches. Monuments shall be set in concrete at sod level with one edge set to a surveyor's line. All vases shall be centered in the ends of said concrete and the length of the concrete shall extend 8 inches beyond each end of the granite marker. If no vases are used a 6 inch concrete extension on each end of the marker will suffice.
5. In Section C, E, F, L, M, N, O and R, double headstones shall be of polished granite, or other approved material, of a size not larger than 48 inches long by 12 inches in width, placed flat and set in concrete at sod level with one edge set to a surveyor's line. All double monuments shall be of polished granite, or other approved material, of a size not larger than 48 inches long by 12 inches in width, with a height not to exceed 28 inches. All vases shall be centered in the ends of said concrete and the length of the extend 8 inches beyond each end of the granite marker. If no vases are used a 6 inch concrete extension on each end of the marker will suffice. Vases are allowed anywhere within the confines of all double bronze headstones provided they are set in concrete according to the above specifications of 6 inch concrete extension on each end.
6. In Section P, monuments shall be of polished granite, or other approved material, of a size of not larger than 16 inches wide by 20 inches long. The marker shall be set in concrete at sod level with one edge set to a surveyor's line. No monuments shall be erected. The concrete will extend beyond the marker 4 inches at the top, each side and bottom, unless a vase is used in which the bottom concrete shall extend 8 inches. If a vase is used it shall be centered below the marker.

[Section 4.510 added by Ord. #88-06 passed March 8, 1988]
[Section 4.510 amended by Ord. #93-03 passed March 30, 1993]
[Section 4.510 amended by Ord. #93-37 passed December 14, 1993]
[Section 4.510 amended by Ord. #1999-32 passed November 23, 1999]
[Section 4.510 amended by Ord. #2002-17 passed November 12, 2002]

4.520 Placement of Burial.

As a general rule, a male is buried to the south and a female is buried to the north. If any party wishes to have a burial performed differently written notice must be given to the City of Redmond.

[Section 4.520 added by Ord. #88-06 passed March 8, 1988]

4.530 Liners. Cement liners are required if a vault is not used.

[Section 4.530 added by Ord. #88-06 passed March 8, 1988]

4.540 Memorials.

[Section 4.540 added by Ord. #88-06 passed March 8, 1988]

[Section 4.540 deleted by Ord. #2002-17 passed November 12, 2002]

4.542 Flowers. All flowers and decoratives will be removed on a regular basis at the discretion of cemetery management.

[Section 4.542 added by Ord. #95-36 passed October 24, 1995]

4.550 Columbarium.

4. Each columbarium niche may contain one or two cremains. If the cremains of two are placed in a single niche, they must be of immediate family members.
5. A bronze marker is provided as a part of each niche. Special service club emblems and flower vases may be purchased. Only those markers, emblems and vases purchased from the City of Redmond may be used.

[Section 4.550 added by Ord. #88-06 passed March 8, 1988]

4.560 Payments.

- D. Lots may be purchased at City Hall. The purchase price must be paid in full at time of purchase or such others terms as allowed by the City.
- E. Cemetery deeds are issued only after all fees owing are paid. Deeds are issued in the name of purchaser. The City's record of ownership shall be conclusive on the issue of ownership. If purchaser transfers the deed for a lot, it is the responsibility of the purchaser to provide the City with a copy of the quick claim deed evidencing that transfer. If purchaser is deceased the deed reverts to the spouse or a designated beneficiary as provided by Oregon law. It is the responsibility of the spouse, beneficiary or person with vested right of internment to prove ownership of the lot or right to use lot