
CITY OF REDMOND, OREGON

2010 STANDARD SPECIFICATIONS

STANDARD DRAWINGS

TABLE OF CONTENTS

SECTION 1 TRENCHES

TITLE

1-1	Utility Trench
1-2	Water Line & Sewer Line Separation
1-3	RR X-ING Single/Joint Use Casing for Water & Sewer Lines
1-4	Typical Irrigation Canal Utility Crossing

SECTION 2 STREETS

TITLE

2-1	Typical Minimum Street Cross Section Dimensions
2-2	Reduce Width Street Typical Non-Grid Street Cross Section & Dimensions
2-3	Typical Minimum Partial Street Improvement Standard
2-4	Cul-De-Sac Standard
2-5	All Weather Service Utility Access and Multi-Use Path
2-6	Concrete Curbs
2-7	Curb Drop Typical Section
2-8	Concrete Driveway Approach & Curb Cut
2-9	Concrete Driveway Approach & Curb Cut Option A
2-10	Concrete Driveway Approach & Curb Cut Option B
2-11	Concrete Driveway Approach & Curb Cut Option C
2-12	Typical ADA Ramp Type 1
2-13	Typical ADA Ramp Type 2
2-14	Typical ADA Ramp Type 3
2-15	Typical ADA Ramp Type 4
2-16	Typical Detectable Warning Surface
2-17	Typical Concrete Curb & Sidewalk
2-18	Typical Concrete Joint Sections
2-19	Typical Downtown Tree Well Installation
2-20	Typical Downtown Sidewalk
2-21	Typical Downtown Street Tree Grate
2-22	Steel Tree Grate Frame
2-23	Typical Downtown Street Tree Location Standard
2-24	Typical Stop & Street Sign Combination

SECTION 2 STREETS

TITLE

2-25	Typical Street Sign Anchor
2-26	Street Name Sign
2-27	'T' Intersection Alignment Standard
2-28	Decorative City Street Light Installation
2-29	Decorative City Street Light Base Installation
2-30	Typical Mailbox Support

SECTION 3 SEWER

TITLE

3-1	Profile of Typical Sanitary & Storm Sewer Main Installation
3-2	Typical Sewer Service & Cleanout
3-3	Standard Sewer Manhole
3-4	Standard Outside Drop Sanitary Sewer Manhole
3-5	Pressure Sanitary Sewer Manhole
3-6	Sampling Manhole
3-7	Standard Sewer Manhole Ring & Cover
3-8	Standard Pre-Cast Drywell
3-9	Storm Water Access Lid
3-10	Standard Catch Basin
3-11	Curb Inlet Catch Basin
3-12	Standard Catch Basin Grate
3-13	Storm Sewer Manhole
3-14	Typical Storm Water Swale Section
3-15	Sedimentation Manhole
3-16	Typical Storm Water Detention Pond Section

SECTION 4 WATER

TITLE

4-1	Profile of Typical Watermain Installation
4-2	Typical Valve & Box Installation
4-3	Thrust Blocks
4-4	Deadman Thrust Block
4-5	Typical ¾" and 1" Water Service
4-6	Typical 1 ½" and 2" Water Service
4-7	3" Water Meter Vault
4-8	4" Water Meter Vault
4-9	6" Water Meter Vault
4-10	8" Water Meter Vault
4-11	2" Meter Setter with Bypass
4-12	Fire Hydrant & Gate Valve Control Installation
4-13	Standard Fire Hydrant Set Backs
4-14	Fire Hydrant Pad & Bollards
4-15	Separation of Water Line to Irrigation Culverts
4-16	Standard Air & Vacuum Release Valve Assembly

4-17	Pressure Reducing Valve Vault
4-18	Typical Backflow Device ¾" to 2" DCVA Installations
4-19	Typical Backflow Device Larger than 2" DCVA Installations

SECTION 4 WATER

TITLE

4-20	Reduced Pressure Backflow Device Installation
4-21	Backflow Device Standard for Vacuum Breaker Installation
4-22	Fire Service Vault DCVA with FDC & PIV
4-22A	Fire Service Vault – Detector Double Check Valve Assembly
4-23	Typical Water Line Intersection Connections
4-24	Typical 2" Blowoff Installation